

RADOJCIC, Z.

An increase of passenger and freight traffic on the Yugoslav Railroads is foreseen for 1963. Medun transp 9 no.3:186-187
Mr '63.

RADGICIC, Z.

Tariffs, freight transportation, capacities. Medun transp
9 no. 11: 744-745 N '63.

RADOJCIC, Z.

How to increase the network of industrial tracks. Medun transp 10
no.1:39-41 Ja '64.

RADOTIC, Z.

Transport contract between the state and industry, 1970-1980.
10 no. 4590-590 g. 100.

RADOICIC, Z.

On the eve of changes in the system of management of Yugoslav
Railroads. Medun transp 10 no.9:17-18 S '64.

RADOIKOV A.

Distr: 4E3d

Synthesis of antioxidation additives containing phosphorus. M. Gerasimov, D. Rushev, and A. Radoikov (Chem. Technol. Inst., Sofia, Bulgaria). *Izvest. Vysshikh. Ucheb. Zavedenii, Nefi i Gaz* 1959, No. 10, 133-6. The esters of H_3PO_4 are widely used as antioxidn. additives in mineral oils. To study the effect of various substituents and their position in the benzene ring on the antioxidn. effect, a series of triphenylphosphite derivs. was synthesized and tested. The tests were made on transformer oil produced from Bulgarian crude oil. The highest antioxidn. effect was shown by the additives with the alkyl radical in the para position. The longer the chain of the alkyl radical, the higher is the antioxidn. effect. The additives synthesized from mixts. of phenols showed a higher antioxidn. effect than the individual additives. A. G. Streng

ep

RADOIKOV, A.: GERASIMOV, M.: BELIAVSKI, V.

"Obtaining consistent lubrication oil from oxidized oil and its fractions"

Tezhka Promishlenost. Sofia, Bulgaria. Vol. 8, no. 1, Jan. 1959

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59, Unclass

GERASIMOV, M.; ZAKHARIEV, I.; ANDREEV, S.; RADOIKOV, A.

Synthesis and laboratory tests of Bulgarian antioxidizing
additions for automobile and tractor lubricating oils.
Izv mekh selsko stop BAN no.3:179-195 '62.

RADOIKOV, Vladimir

Problem of the professional orientation of youth.
Trud tseni 6 no. 348-53 '64.

RUSEV, R.D., inzh.; BAROILOVA, S.A., zhuk.

Effect of the chemical composition on the strength of low-alloy
reinforcement steel. Stal' 23 no.10:939-940 O '63.

(MIRA 16:11)

1. Metallurgicheskiy zavod im. Lenina Narodnaya Respublika Bolgariya.

RADOINOV, Petko M.

Fifteenth Session of the United Nations General Assembly. Spisanie
(EEAI 10:5)
BAN 5 no.4:71-83 '60.
(United Nations)

RAD. 704 10, 11.

1. Hydrogen peroxide (H₂O₂) is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
2. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
3. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
4. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
5. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
6. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
7. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
8. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
9. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.
10. Hydrogen peroxide is a colorless, odorless liquid with a sharp, irritating odor. It is a powerful oxidizing agent and is used in a variety of chemical reactions. It is also used in the production of hydrogen gas.

Yugoslavia/Zooparasitology. Parasitic Protozoa

3

Abs Jour : Ref Zhur-Biol., No 13, 1958, 57836

Author : Radojichevich M., Sofrenovich, Krshlyanin

Inst : Not given

Title : Data on the Study of the Distribution of Trypanosoma and Trypanoplasma of Fish in Some Fish Ponds

Orig Pub : Acta veterin., 1957, 7, No 2, 5-64

Abstract : The distribution of trypanosoma and trypanoplasma in fish in some Serbian ponds was determined by the study of blood smears prepared in November-December 1956. No exact determination of trypanosoma and trypanoplasma was carried out. Trypanoloma was found mainly in young carp (32% of the fish up to one year of age were infected; 1% in ages of 1 to 2 years old; 4% in ages of 4 and more years). Trypanosoma was also found

Card 1/2

RADOIČIĆ, M.

200

Radoičić, M. Remarque sur le problème des types des
~~surfaces de Riemann~~. Acad. Serbe Sci. Publ. Inst.
Math. 1, 97-100 (1947).

It is remarked that the transcendental singularities of a
simply connected Riemann surface of parabolic type can
form an everywhere dense ordered set. L. Ahlfors.

Smul

Source: Mathematical Reviews.

Vol 10 No. 7

Radojčić, M.

Radojčić, M. Sur un problème topologique de la théorie
des surfaces de Riemann. Acad. Serbe Sci. Publ. Inst.
Math. 2, 11-25 (1948). (French. Serbian summary)

The author considers sheets of a simply connected
Riemann surface or, equivalently, fundamental regions in
the domain on which it is mapped. A rather detailed study
of the structure of the net of fundamental regions is under-
taken which parallels the corresponding treatment of auto-
morphic functions. The fundamental regions have vertices
which correspond to algebraic branch-points and transcen-
dental singularities on the surface, and certain limitations
concerning the location of such vertices are derived. The
results are topological in nature.

L. Ahlfors.

Source: Mathematical Reviews,

Vol 10 No. 8

Radojevic, M.

Radojević, M. Une proposition sur les singularités essentielles des fonctions analytiques. Acad. Serbe Sci. Publ. Inst. Math. **3**, 137-142 (1950).

The paper contains a contribution to the theory of "fundamental regions" of an analytic function in the neighborhood of an isolated singular line. The result applies to a restricted class of functions and asserts that the diameters of the fundamental regions tend to zero. *L. Ahlfors.*

Source: Mathematical Reviews,

Vol. 12 No. 6.

SMW

RADOJCIC, M.

Math
*Radojčić, M. Sur les points de vue qui dominent la géométrie. Premier Congrès des Mathématiciens et Physiciens de la R.P.F.Y., 1949. Vol. II, Communications et Exposés Scientifiques, pp. 37-48. Naučna Knjiga, Belgrade, 1951. (Serbo-Croatian. French summary)

Source: Mathematical Reviews,

Vol 13 No. 5

RADOJČIĆ, M.: Preponderant Points of View in Geometry

RADOJČIĆ, M.

Math

*Radojčić, M. Sur le discernement des types des surfaces de Riemann. Premier Congrès des Mathématiciens et Physiciens de la R.P.F.Y., 1949. Vol. II, Communications et Exposés Scientifiques, pp. 163-167. Naučna Knjiga, Belgrade, 1951. (Serbo-Croatian. French summary)

Exposition élémentaire de deux critères, obtenus par l'auteur, concernant le type d'une surface de Riemann ouverte et simplement connexe [voir Radojčić, Glas Srpske Akad. Nauka 175, 237-248 (1937); Acad. Serbe Sci. Publ. Inst. Math. 3, 25-52, 305-306 (1950); ces Rev. 12, 602].

From the author's summary.

RADOJČIĆ, M.: On Discerning Types of Riemann Surfaces

14 sm

Source: Mathematical Reviews,

Vol 13 No. 6

RADOJCIC, M.

Radojčić, M. Certains critères concernant le type des surfaces de Riemann à points de ramification algébriques. Acad. Serbe Sci. Publ. Inst. Math. 3, 25-52, 305-306 (1950).

This paper deals with the type problem in its classical form: conformal equivalence of a given simply-connected Riemann surface with a circle or a punctured plane. The problem is thus far unsolved; some sufficient conditions are known characterizing the strength of the boundary in terms of the length of curves or disc chains approaching the boundary or by the number of branch points or sheets in an exhaustion. The last type of criteria has been restricted to the case of a finite number of projection points of branch points. The author gives the first criterion for surfaces with infinitely many projection points, subject, however, to the following restrictive properties: (1) All branch points are algebraic; (2) the order of the branch points does not exceed a fixed constant p ; (3) the spherical distance between any two branch points is at least as large as a fixed constant ϵ . The conventional division of the surface in half-sheets is replaced by division in sheets created by cuts along radial segments connecting the branch points with the infinite point. Let G_n be one of the sheets and G , the n th generation, i.e. the collection of sheets neighboring G_{n-1} ($G \cap G_{n-1} = \emptyset$). Denote by $\delta(n)$ the number of sheets in G_n . If

$$\sum_{n=1}^{\infty} \delta(n) + \delta(1) + \dots + \delta(n_1) = \infty,$$

where n_1 depends on ν, p , and ϵ , then the surface is parabolic. The theorem is proved as an application of the Ahlfors criterion $\int^{\infty} (\rho/n(\rho)) d\rho = \infty$ [Ann. Soc. Sci. Fennicae Comment. Phys.-Math. 9, no. 6, 1-5 (1936)]. Some variations of the theorem are given. In the second part (pp. 305-306) the author, correcting his earlier (p. 47) erroneous reasoning, shows that the criterion is applicable to the Riemann surfaces of the inverse functions of elliptic functions.

L. Sario (Princeton, N. J.).

Source: Mathematical Reviews,

Vol 12 No. 8

RADOJCIC, M.

5

Radojčić, M. Sur le problème des types des surfaces de
Riemann. Srpska Akad. Nauka. Zbornik Radova 35.
Mat. Inst. 3, 15-28 (1953). (Serbo-Croatian. French
summary)
"Aperçu élémentaire des critères concernant les types des
surfaces de Riemann, sans prétendre à une liste complète".

row
1K

RADOJCIC, M.

Development of analytic functions of Riemann surfaces in algebraic or some ambiguous finite transcendental functions. In German. p. 93.

Srpska akademija nauka. Matematički institut. PUBLICATIONS.
Beograd, Yugoslavia. Vol. 8, 1955.

Monthly list of East European Accessions (EEAI) LC, Vol. 8, no. 8, Aug., 1959.

Uncl.

RADOJCIC, N.

Yugoslavia (430)

General - Serials

Byzantine law in the Code of Stefan Dusan. p. 347. Srpska akademija nauka.
GLASNIK. Beograd. (Quarterly bulletin containing abstracts of transactions and
proceedings of the Serbian Academy of Sciences). Vol. 1, no. 3, 1949.

East European Accessions List. Library of Congress, Vol. 1, no. 13,
November 1952. UNCLASSIFIED.

NIKOLIC, Paskal, dr.; RADOJCIC, Porivoje, doc., dr.; NIKOLIC, Vojislav, dr.

Vegetative cardiac manifestations in chorea minor in children.
Med. glasn. 14 no.11:530-531 N '60.

1. Pedijatrijska klinika Medicinskog fakulteta u Beogradu (Upravnik:
prof. B. Tasovac). Neuropsihijatrijska klinika Medicinskog fakulteta
u Beogradu (Upravnik prof. dr U. Jekic).

(CHOREA compl) (HEART physiol)

RADOJCIC, M.
DJURISIC, Milutin; RADOJCIC, Vladimír

The effect of isonicotinic acid hydrazide and streptomycin on experimental tuberculosis induced by hydrazide and streptomycin-resistant strains. Acta pharm. jugosl. 4 no.1:3-9 1954.

1. Mikrobioloski institut, Medicinski fakultet, Beograd; primljeno: 1.IV.1954.

(TUBERCULOSIS, exper.

*eff. of isoniazid & streptomycin in guinea pigs infected with isoniazid & streptomycin-resistant strains)

(NICOTINIC ACID ISOMERS, eff.

*isoniazid on exper. tuberc. in guinea pigs infected with isoniazid-resistant strains)

(STREPTOMYCIN, eff.

*on exper. tuberc. in guinea pigs infected with streptomycin-resistant strains)

HA DOJCIC, Vladimir, assist.dr

Antistreptolysin titer in acute rheumatism. Srpski arh.celok.
lek. 87 no.11:1428-1436 Nov. 54.

1. Mikrobioloski institut Medicinskog fakulteta u Beogradu.

Upravnik: prof. dr Milutin Djuriscic.

(RHEUMATIC FEVER, immunology,
antistreptolysin titer)

(STREPTOCOCCUS,
antistreptolysin titer in rheum.fever)

RADOJCIC, Vladimir; SECUJAC, Branko; DELOVSKI, Dimitrije

Personal experiences with antistreptolysin test. Srpski
arh. celok. lek. 84 no.11:1281-1290 Nov 56.

1. Bakterioloski institut Medicinskog fakulteta u Beogradu.
Upravnik: Milutin Djurisc. Pedijatrijska klinika Medicinskog
fakulteta u Beogradu. Upravnik: Ambrozic Matija. III i IV
Interna klinika Medicinskog fakulteta u Beogradu. Upravnik:
Radivoje Berovic.

(STREPTOLYSIN, antagonists
antistreptolysin test, diag. value (Ser))

RADOJCIC, Vladimir

Immunological features of the rheumatic factor. Srpski arh.
celok. lek. 90 no.2:173-180 F '62.

1. Mikrobioloski institut Medicinskog fakulteta Univerziteta
u Beogradu Upravnik: prof. dr. Milutin Djurisc.
(ARTHRITIS RHEUMATOID immunol)
(HEMAGGLUTINATION)

5

RADOJCIC, Vladimir

Hemolytic streptococci, autoantibodies and rheumatic fever.
Srpski arh. celok. lek. 92 no.10:939-948 O '64

1. Mikrobioloski institut Medicinskog fakulteta Univerziteta
u Beogradu (Upravnik: prof. dr. Milutin Djuriscic).

EXCERPTA MEDICA Sec 9 Vol. 9/9 Surgery Sept 55
RADOJCIC-FINKELSTAJN L.
5553. RADOJCIC-FINKELSTAJN L. Kat. za sportsku med. Inst. za fizičku kulturu,
Beograd. *Statičko ravno stopalo, njegovo lečenje i profilaksa. Static
flat-foot, its treatment and prophylaxis VO-SANIT. PREGL.
1954, 11/9-10 (362-370) Tables 1 illus. 10
An examination of 991 schoolchildren revealed flat-foot in 50%. The pathogenesis
of the static flat-foot, its clinical manifestations and subjective difficulties are dis-
cussed and physical methods in prophylaxis and treatment described. Painful
flat-foot is a contraindication for functional, active treatment. First and second
grade static flat-foot require besides hydrotherapy and massage exercises and prophy-
lactic or therapeutic arch supports. Third grade flat-foot must be treated surgically.
Plantograms were of great help in this examination.

Brecelj - Ljubljana

BARONOV, A.

H. A. PESHIN, Bull. soc. chim. Belgrade 11, No. 1/2, 25-32, 1943-46

RADOJCIN, R.

1. "The quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
2. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
3. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
4. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
5. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
6. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
7. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
8. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
9. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.
10. "A contribution to the quantitative determination of iodine and potassium iodide in biological tissues" by RADOJCIN and C. ANONY, Journal of the Faculty of Pharmacy, Belgrade, 1971, pp. 1-10.

RADOJEVIC, Milan, inz. (Palmoticeva 2, Beograd)

Problems of forming medium and lesser technical cadres in the post, telegraph, and telephone service. Tehnika Jug 18 no.6:Suppl.:Sao-bracaj 10 no.6:1154-1158 Je '63.

1. Inspektor Zajednice JPTT, Beograd)

KOICKI, S.D.; KUKOC, A.H.; RADOJEVIC, M.P.; SIMIC, J.M.

Investigation of 5.5 hours $^{180\text{m}}\text{Hf}$ isomeric state decay. Bul
Inst Nucl 13 no.3:1-13 0 '62.

1. Department of Physics.

DJORDJEVIC-CAMBA, Djordje; RADOJEVIC, Petar

Ileus caused by Meckel's diverticulum. Srpski arh. celok.
lek. 84 no.9:1070-1072 Sept 56.

1. I Hirurska klinika Medicinskog fakulteta u Beogradu
Upravnik: prof. dr. Bogdan Kosanovic.
(INTESTINAL OBSTRUCTION, etiol. & pathogen.
Meckel's diverticulum (Ser))
(MECKEL'S DIVERTICULUM, compl.
intestinal obstruct. (Ser))

PAJIC, P.

PAJIC, P. Amortization and fixed assets in railroads. p. 396.

Vol. 11, no. 11, Nov. 1955

ZELEENICH

Beograd, Yugoslavia

So: Eastern European Accession Vol.5 No. 4 April 1956

"1950-1955, 1.

1950-1955, 4. The possibilities of operation and labor productivity in machine
building, p. 6.

Vol. 18, No. 1, Nov. 1955.

1950-1955

1950-1955

1950-1955, Nov. 1955.

Vol. 18, No. 1, Nov. 1955, Vol. 6, No. 2, February 1955

COUNTRY : Bulgaria
CATHOXY : Cultivated Plants. Industrial. Oleiferous. M
Sugar.
ABR. JMR. : RZhBiol., No. 3, 1959, No. 11079
AUTHOR : Radojevik, R.
INST. : -
TITLE : Selection of Soil for Macedonian Tobacco Varieties.
ORIG. PUB. : Tatna, 1958, 3, No. 2, 56-70
ABSTRACT : No abstract.

CARD: 1/1

-126-

Radojevic, R.

KALJALOVIC, R.; RADOJEVIC, R.

Contribution to the knowledge of persistent protracted ulcerous colitis. Med. glasn. 8 no.1:18-20 Ja '54.

1. Zarazno odeljenje Vojno-medicinske akademije u Beogradu
(nacelnik puk. dr. Roza Papo)
(COLITIS, ULCERATIVE, ther.)

*

KALJALOVIC, R., sanitetski potpukovnik, dr.; RADOJEVIC, R., sanitetski potpukovnik, dr.; OBERSLIK, J., sanitetski potpukovnik mr ph

Serum copper and iron values in patients with jaundice of various etiology. Voj.san.pregl. 18 no.6/7:540-543 Je-Jl '61.

1. Vojnomedicinska akademija u Beogradu, Odeljenje za infektivne bolesti, Centralna medicinska laboratorija.

(HEPATITIS INFECTIOUS blood) (JAUNDICE blood)
(IRON blood) (COPPER blood)

REBERNISAK, Vinko, sanitetski potpukovnik, dr.; RADOJEVIC, Radmila, sanitetski potpukovnik, dr.

Contribution to the treatment of gynecological tetanus. Voj.san.pregl. 18 no.8:649-652 Ag '61.

1. Vojnomedicinska akademija u Beogradu, Odeljenje za zarazne bolesti, klinika za hirurske bolesti.

(TETANUS ther) (GYNECOLOGY ther)
(MUSCLE RELAXANTS ther)

YUGOSLAVIA

GLIDZIC, Dr V.; KRAJINOVIC, Dr S.; and RADOJEVIC, Dr R., First Surgical Clinic (I Hirurska Klinika) and Epidemiological Institute (Epidemiološki Institut), both in the Faculty of Medicine (Medicinski Fakultet), Belgrade.

"ABO Blood Groups and Stomach Tumors."

Belgrade, Narodno Zdravlje, Vol 19, No 6, 1963, pp 201-203.

Abstract: /Authors' Serbocroatian summary/ A comparison of the frequency of various blood groups of the ABO system in 244 patients suffering from cancer of the stomach with a control group of 5624 other patients originating in the same area showed that there was a statistically significant increase in the number of patients with blood group A and a simultaneous decline in the number of patients with blood group O. A statistically significant difference was not evident in an examination of the differences in the proportions of all groups as a whole, suggesting a need for further comparisons with more material so as to obtain significant results under the most severe criteria.

Twenty-six references (24 Western, two Yugoslav).

PAP0, Roza; sanitetski pukovnik docent, dr.; KALJAKOVIC, Ratko, sanitetski
pukovnik, docent, dr.; RADOJEVIC, Radmila, sanitetski potpukovnik,
dr.

Corticosteroids in the treatment of infectious hepatitis and
our experience during the period of 1953-1963. Vojnosanit.
pregl. 21 no.5:334-338 My '64

1. Klinika za zarazne bolesti, Vojnomedicinska akademija u
Beogradu.

PAPIC, Roza, prof. dr.; KALJALOVIC, Ratko, doc. dr.; KAPOSEVIC, Radmila, dr.;
BOGDANOV, Lea, doc. dr.

Controlled studies on comparative results of the treatment of
scarlet fever with various penicillin preparations. Med. glas.
19 no.8/9:191-194 Ag-S '65.

1. Klinika za zarazne bolesti VMA u Beogradu (Nacelnik: prof.
dr. R. Papo) i Mikrobioloski institut VHZ u Beogradu (Nacelnik:
doc. dr. Dorde Heneberg).

RADOJEVIC, S.; NEGOVANOVIC, B.

Anatomy of the intracranial portion of vertebral arteries.
Acta med. iugosl. 9 no.2-3:252-257 1955.

1. Anatomski institut Medicinskog fakulteta u Beogradu.
(ARTERIES, VERTEBRAL, anat. & histol.
intracranial vertebral arteries. (Ser))
(CRANIUM, blood supply,
intracranial vertebral arteries, anat. (Ser))

RADOJEVIC, S.; SAVIC, V.

Intimate relationship of femoral ring with neighboring arteries;
a study of arteria obturator. Acta med. iugosl. 9 no.2-3:258-
273 1955.

1. Anatomski institut Medicinskog fakulteta, Beograd.
(ARTERIES, FEMORAL, anat. & histol.
relationship to femoral ring. (Ser))

RADOJEVIC, SINISA V.

Sistematska i topografska anatomija; noga, 3., dopunjeno izd.

Beograd, Naucna knjiga, Yugoslavia 1958 P 258

Monthly List of East European Accessions (EEAI) LC. vol. 8, no. 9, Sept. 1959

Uncl.

RADOJEVIC, SINISA V.

Sistematska i topografska anatomija; grudni kos. 3., dopunjeno izd.

Beograd, Naucna knjiga, Yugoslavia 1958 P 268

Monthly List of East European Accessions (EEAI) LC. vol. 8, no. 9, Sept. 1959

Uncl.

RADOJEVIC, S., prof., dr.; JOVANOVIĆ, S., doc., dr.

Relationship between the optic canal and the posterior paranasal sinuses in children. (Contribution to the study on the development of the sphenoid sinus). Med. arh. 15 no.3:33-39 My-Je '61.

1. Anatomski institut Medicinskog fakulteta u Beogradu (Upravnik: prof. dr Branko Sljivic).
(SPHENOID SINUS anat & histol)

ACC NR: AP6029581

SOURCE CODE: YU/0015/65/000/08-/0191/0194

AUTHOR: Papo, Roza (Professor; Doctor); Kaljalovic, Ratko (Docent; Doctor);
Radojevic, Radmila (Doctor); Bogdanov, Lea (Docent; Doctor)

ORG: Infectious Diseases Clinic, VMA/headed by Professor, Doctor R. Papo/, Belgrade
(Klinika za zarazne bolesti VMA); Microbiology Institute, VHZ/headed by Docent,
Doctor D. Heneberg/, Belgrade (Mikrobioloski institut VHZ)

TITLE: Controlled studies of comparative treatment of scarlet fever with various
penicillin preparations

SOURCE: Medicinski glasnik, no. 8-9, 1965, 191-194

TOPIC TAGS: penicillin, drug effect, bacterial disease

ABSTRACT: Three groups of 50 patients each, all with scarlet fever, were treated
with either an oral preparation of penicillin, an injectable penicillin, or
long-acting benzathine penicillin: while all 3 preparations were about equally
effective on an immediate basis, the third was best in preventing reinfection or
recurrence (46% versus 30% versus 6% recurrence). Orig. art. has: 4 figures.
[JPRS: 36,599]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 001 / SOV REF: 001
OTH REF: 006

Card 1/1

0917 2675

PERISIC, Zivadin; RADOJEVIC, Smilja; BOZOVIC, Mariola

Changes of the antistreptolysin O titer in patients with scarlet fever treated with penicillin. Srpski arh. celok. lek. 89 no.9: 945-951 S '61.

1. Klinika za infektivne bolesti Medicinskog fakulteta Univerziteta u Beogradu. V.d. upravnika: doc. dr Mihailo Nikolic. Bakterioloski institut Medicinskog fakulteta Univerziteta u Beogradu. Upravnik: prof. dr Milutin Durisic.

(ANTISTREPTOLYSIN) (SCARLET FEVER ther)
(PENICILLIN ther)

RADOJEVIC V.

JOVANOVIĆ, S.; LOTIRC, N.; RADOJEVIĆ, V.

Development, morphology and topography of sphenoidal sinuses in children. Acta med. iugosl. 8 no.2:232-252 1954.

1. Anatomski insitut Medicinskog fakulteta, Beograd.
(SPHENOID SINUS, anat. & histol.
morphol. & topography in child.)

JOVANOVIĆ, Slavoljub; RADOJEVIĆ, Vladimir.

Foramen rotundum or canalis rotundus; its morphology and relation to posterior paranasal sinuses. Glas.Srpske akad.nauka, odelj. med. 215 no.9:57-72 1955.

1. Anatomisches Institut der Medizinischen Fakultät, Beograd.
(SPHENOID BONE, anatomy and histology,
foramen rotundum, relation to paranasal sinuses)
(PARANASAL SINUSES, anatomy and histology,
relation to foramen rotundum.)

RADOJICIC, Vladimir

Serological tests in rheumatic diseases. Srpski arh. celok.
lek. 84 no.12:1425-1434 Dec 56.

1. Bakteriološki institut Medicinskog fakulteta u Beogradu
Upravnik: Milutin Djurisić.
(RHEUMATISM, diag.
serological tests (Ser))

KONJOVIC, M.; DINIC, Z.; RADOJEVIC, V.; JANJATOVIC, T.

Audiometric findings in patients treated with large doses of streptomycin. Tuberkuloza 15 no.2:266-268 Ap-Je '63.

1. Gradska bolnica za grudobolne, Bezanijska Kosa - Upravnik:
prim. dr Ljubisa Ilic. Gradska bolnica Zemun, odeljenje ORL -
Sef: prim. dr Branko Midzor.

(STREPTOMYCIN TOXICOLOGY) (AUDIOMETRY)

S

JEROTIC, Vladeta, dr; RADOJECIC, Borivoje, dr

Case of especially gifted epileptic. Med.glasn. 9 no.6:240-243
June '55.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu
(Upravnik prof. dr U. Jekic).

(EPILEPSY,

unusual intelligence in)

(INTELLIGENCE,

unusual intelligence in epilepsy)

RADOJICIC, B.; STOJILJKOVIC, S.

Azotemic psychosis during early syphilis. Srpski arh. celok. lek.
83 no.7-8:868-871 July-Aug 55.

1. Neuropsihijatriska klinika Medicinskog fakulteta u Beogradu.
Upravnik: Uros Jekic.

(SYPHILIS, compl.

psychosis caused by uremia, clin. aspects (Ser))

(PSYCHOSIS, etiol. & pathogen.

uremia in early syphilis, (clin. aspects) (Ser))

(UREMIA, compl.

psychosis, in early syphilis, (clin. aspects) (Ser))

RADOJICIC, B.

Hemiatrophia faciei. Srpski arh. celok. lek. 83 no.9:
1025-1029 Sept 55.

1. Neuropsihijatriska klinika Medicinskog fakulteta u
Beogradu. Upravnik: Uros Jekic.

(FACE, dis.

hemiatrophy caused by inj. in child, clin.
aspects (Ser))

(ATROPHY,

hemiatrophy of face caused by inj., in child,
clin. aspects (Ser))

RADOJICIC, Borivoje; BOGICEVIC, Djordje

Modern concepts of pathogenesis and principles of the treatment of cerebral hemorrhage. Srpski arh. celok. lek. 83 no.10:1142-1149 Oct 55.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu.
Upravnik: prof. dr. Uros Jekic.

(CEREBRAL HEMORRHAGE,
pathogen. & ther. (Ser))

RADOJICIC, Borivoje; BOGICEVIC, Djordje

Value of aminophylline in the treatment of cerebral hemorrhage.
Srpski arh. celok. lek. 83 no.11:1269-1274 Nov 55.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu.
Upravnik: prof. dr. Uros Jekic.

(CEREBRAL HEMORRHAGE, ther,
aminophylline, value. (Ser))

(ANINOPHYLLINE, ther. use,
cerebral hemorrh., value. (Ser))

RADOJICIC, Bariwoje, Dr.

Infantile cerebral palsy. Med. glasn. 10 no.7:263-270 July 56.

1. Neuropsihijatrijska Klinika Medicinskog fakulteta u Beogradu,
(upravnik prof. dr. U. Jekic).
(CEREBRAL PALSY
(Ser))

RADOJICIC, B.; NIKOLIC, M.

Prognosis of various clinical forms of muscular dystrophy.
Med. glasn. 10 no.9:378-381 Sept 56.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu
Upravnik: prof. Uros Jekic.
(MYOTONIA ATROPHICA,
progn. (Ser))

MIHAILOVIC, Lj.; RADOJICIC, B. M.

Studies on physiopathology of insulin hypoglycemia; simultaneous changes of blood and cerebrospinal glucose levels and of blood serum and cerebrospinal fluid potassium level during and following insulin coma. Glas Srpske akad. nauka, odelj. med. 217 no.10: 1-14 1956.

(HYPERINSULINISM, metabolism in,
blood & CSF sugar & potassium (Ser))
(POTASSIUM, in blood,
in hyperinsulinism (Ser))
(POTASSIUM, in cerebrospinal fluid,
in hyperinsulinism (Ser))
(CARBOHYDRATES, in cerebrospinal fluid
in hyperinsulinism (Ser))

ARTICLE 1. Author: U. Jekic, M.D., Branka

Clinical manifestations of subacute leukoencephalitis. Med. glasn.
11 no.4:142-147 Apr 57.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu
(Upravnik: prof. dr U. Jekic)
 (ENCEPHALITIS, case reports
 leukoencephalitis (Ser))

NIKOLIC, Milica; ~~RADOJICIC, Borivoje~~

Post-partal psychosis, analysis of 30 cases. Srpski arh. celok. lek.
85 no.6:639-644 June 57.

1. Neuropsihijariska klinika Medicinskog fakulteta u Beogradu;
Upravnik: prof. dr. Uros Lekic.

(PUERPERIUM, COMPL.

postpartum psychosis (Ser))

(PSYCHOSES,

postpartum psychosis (Ser))

BRKIC, Djordje; RADOJICIC, Borivoje; JOVICIC, Branislav; JEVTIC, Zivojin

Severe cachexia caused by dermatomyositis. Srpski arh. celok. lek.
85 no.6:726-731 June 57..

1. Interna klinika A. Medicinskog fakulteta u Beogradu. Upravnik: prof.
dr. Branislav Stanojevic. Neuropsihijatriska klinika Medicinskog
fakulteta u Beogradu. Upravnik: prof. dr. Uros Jekic.

(CACHEXIA, etiol. & pathogen.
dermatomyositis (Ser))

(DERMATOMYOSITIS, compl.
cachexia (Ser))

RADOJCIC, Borivoje, doc., dr

Convulsions in the current era. Med. glas. 16 no.5:213-217 My '62.

Neuro-psihijatrijska klinika Medicinskog fakulteta u Beogradu (Upravnik:
prof. dr U. Jekic)

(EPILEPSY) (CONVULSIONS)

5

RADOJICIC, B., doc.dr.; HADZI-ANTIC, V., O., dr.

Myasthenia gravis in childhood. Med. glas. 17 no.8:317-322
Ag-S'63

1. Neuro-psihijatrijska klinika Medicinskog fakulteta u
Beogradu; upravnik: prof. dr. U.Jekic.

RADOJICIC, Borivoje, doc. dr.

Periarteritis nodosa and the nervous system. Med. glas. 19
no.1:21-23 Ja '65.

1. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu
(Upravnik: prof. dr. U. Jekic).

YUGOSLAVIA

RADOJICIC, Borivoje, Dr, KOVACEVIC, Vladimir, Dr; Neuropsychiatric Clinic, Faculty of Medicine, University of Belgrade (Head: JEKIC, Uros, Dr, prof) (Neuropsihijatriska klinika Medicinskog fakulteta Univerziteta u Beogradu), Belgrade.

"Etiology and Clinical Picture of Bell's Paralysis of the Facial Nerve"

Belgrade, Srpski arhiv za celokupno lekarstvo, Vol 93, No 10, Oct 1965, pp 911-917

Abstract: The authors present a statistical review of clinical material establishing the most frequent etiological factors causing Bell's paralysis. A total of 138 patients were examined, 107 children and 31 adults. The disease appeared equally in both sexes on the left and right sides. It was found that exposure to cold played a very small role. The cases are clearly divided into two groups: the larger one, where no etiological factors could be determined, and the other, where virus infections could be justifiably assumed. Future investigations will result in the significant decrease of the idiopathic group of Bell's paralysis. 4 Yugoslav, 21 Western references. Manuscript received 13 Jul 1965.

1/1

and recovery was necessary for 13.22% patients. The results during three weeks was necessary for 13.22% patients. The results obtained are compared with those of other authors, and they were found to be good and rapid. 3 Eastern, 8 Western references. Manuscript received 13 Aug 65.

APPROVED FOR RELEASE: Tuesday, August 01, 2000

CIA-RDP86-00513R00134

1/1

YU. Y. L. 1/1

RAJAKIĆ, Borivoje; NIKOLIĆ, Milica; and JEKIĆ, Vera. Neuropsychiatric Clinic of Medical Faculty of the University (Neuropsihijatrijska Klinika Medicinskog Fakulteta Univerziteta), Head (Upravnik) JEKIC, Prof. Dr. Ures; Belgrade.

"Clinical Signs of the Occlusion of the Anterior Cerebral Artery"

Belgrade, Srpski Arhiv za Celokupno Ikarstvo, Vol 94, No. 2, 1966; pp 133-136

Abstract: [French summary modified] Study in 17 patients with arteriographic signs of occlusion of the anterior cerebral artery, in 10 of these without any other vascular lesion; clinical patterns and description of aphasia in 4, hemiparesis in all 10, epilepsy in 3. 1 Yugoslav and 18 Western references. Manuscript received 14 Jul 65.

1/1

- 23 -

RADEVIC, M.

Miskic Field; a geomorphological study. . . 71. (ZAGRB, 'c. 14/ 5, 1952/53.)

SC: Monthly list of East European Accessions, (EPAI, IC, Vol. 4, No. 6, June 1955, Urel.

RADOJKOVIC, Bozidar (Eng.)

"The importance of the maintenance of electric railways"

SO: ZELEZNICE, No. 6, Year XI, June1955

RADOJICIC, Bozidar

Economic activity and problems of the internal market on transport services. Zeleznice Jug 18 no.11/12:48-51 '62.

RADOJIC E.

Trends in the volume of freight transportation in international
traffic. Medun transp 9 no.1:11-14, Ja '63.

RADOJICIC, B., potpukovnik dr.; SAVIC, S., major dr.

Case of carcinoma of the pancreas with multiple thromboses. Med. pregl., Novi Sad 7 no.4:299-302 1954.

1. Interna klinika Vojno-medicinske akademije JNA, nacelnik gen-major, prof. dr. R.Jovanovic.

(PANCHEAS, neoplasms
in thrombophlebitis)
(THROMBOPHLEBITIS, compl.
cancer of pancreas)

7 RADOJICIC, Bozidar

JOVANOVIC, Radmilo, generalmajor prof. dr.; ARSENIJEVIC, Milan, pukovnik
prof. dr.; RADOJICIC, Bozidar, potpukovnik dr.; ANTIC, Milovan,
major dr.

Some experiences in treatment of serositis with streptomycin. Voj.
san.pregl., Beogr. 12 no.1-2:9-18 Jan-Feb 55.

1. Interna klinika VMA.
 (SEROSITIS, ther.
 streptomycin)
 (STREPTOMYCIN, ther. use
 serositis)

RADOJICIC, Bozidar, Popukovnik dr.; CURCIC, Milovan, Pukovnik doc., dr.

Percutaneous splenoportography. Voj. san. pregl., Beogr. 13 no.
7-8:349-354 July-Aug 50.

(SPLEEN, radiography
percutaneous splenoportography (Ser))
(ANGIOGRAPHY,
splenoportography, percutaneous (Ser))

STEFANOVIC, Stanoje; RADOJICIC, Bozidar; MILOSAVLJEVIC, Aleksije; RUVIDIC, Rajko;
ANTIC, Milovan; TRAJKOVIC, Petar; BUGARSKI, Miodrag; NIKOLIC, Julijana;
VUJICIC, Milomir.

Idiopathic thrombocytopenic purpura: clinical & laboratory data on
87 patients. Srpski arh. celok. lek. 85 no.5:559-587 Mar 57.

1. Interna klinika A Medicinskog fakulteta u Beogradu. Upravnik:
Branislav Stanojevic. Interna klinika B Medicinskog fakulteta u Beogradu.
(Upravnik: Radivoj Berovic. Interna klinika Vojno-medicinske akademije
u Beogradu. Nacelnik: puk. Milan Arsenijevic.
(PURPURA THROMBOPENIC, case reports
idiopathic (Ser))

RADOJICIC, B., dr.; MILOSAVLJEVIC, A., dr., Beograd

Hodgkin's disease (lymphogranulomatosis). Med. glasn. 13 no. 5:
307-310 My '59.

(HODGKIN'S DISEASE case reports)

RADOJICIC, Bozidar; KRE¹ITIC, Bozidar

Manifestations of agranulocytosis following PAS administration.
Contribution to the injurious effect of PAS on the hematopoietic
system. Srpski arh. celok. lek. 87 no.10:922-927 0 '59.

1. Interna klinika Vojno-medicinske akademije u Beogradu, Macelnik:
puk. prof. dr Milan Arsenijevic.
(AGRANULOCYTOSIS etiol.)
(PARAAMINOSALICYLIC ACID eff. inj.)

ANTIC, Milovan, san. potpuk., dr.; RADOJICIC, Bozidar, san. puk. doc.;
BRANKOVAN, Konstantin, san. potpuk., dr.

Carcinoid and carcinoid syndrome. Med. glasn. 14 no, 10:481-485
0 '60.

1. Klinika za unutrasnje bolesti VMA (Nacelnik: san. puk. prof. dr
M. Arsenijevic).

(ARGANTAEFINOMA) (MALIGNANT CARCINOID SYNDROME)

ANTIC, Milovan, sanitetski potpukovnik d-r; RADOJICIC, Bozidar, sanitetski
pukovnik doc. d-r

Staphylococcal septicopyemia. Voj.san.pregl., Beogr. 17 no.7/8:
827-830 J1-Ag '60.

1. Vojnomedicinska Akademija u Beogradu, Klinika za unutrasnje bolesti
(STAPHYLOCOCCAL INFECTIONS case reports)
(SEPTICEMIA case reports)

RADOJICIC, Bozidar, sanitetski pukovnik doc. dr; ANTIC, Milovan, sanitetski
potpukovnik dr

Clinical contribution to leukosarcoma. Voj.san.pregl., Beogr. 17 .
no.10:1046-1049 0 '60.

1. Vojnomedicinska Akademija u Beogradu, Interna klinika
(LEUCOSARCOMA case reports)

RADOJIC, Bozidar, sanitetski pukovnik, doc., dr.; PAPO, Isidor, general-
major san. sluzbe, prof, dr.; ANTIC, Milovan, sanitetski potpukovnik, dr.

Splenectomy in the treatment of blood diseases and spleen injuries.
(Our experience with 110 cases of splenectomy). Voj.san.pregl. 18 no.3:
263-268 Mr '61.

1. Vojnomedicinska akademija u Beogradu, Klinika za unutrasnje bolesti,
Hirurska klinika.

(SPLEEN surg) (BLOOD DISEASES surg)

RADOJICIC, Bozidar, sanitetski pukovnik, doc., dr.

Diagnostic value of lymph node punctures. *Voj.san.pregl.* 18 no.3:
292-294 Mr '61.

1. Vojnomedicinska akademija u Beogradu, Klinika za interne bolesti.

(LYMPH NODES pathol)

ANTIC, Milovan, sanitetski potpukovnik, dr.; RADOJICIC, Bozidar, sanitetski pukovnik, dr.

Treatment of chronic leukemias with radioactive phosphorus. Early results in the treatment of 10 patients. Voj.san.pregl. 18 no.4: 369-372 Ap '61.

1. Vojnomedicinska akademija u Beogradu, Klinika za unutrasnje bolesti.

(PHOSPHORUS radioactive) (LEUKEMIA radiother)

RADOJICIC, Bozidar, sanitetski pukovnik, dr.

Lymphogranulomatosis (Hodgkin's granuloma). Vojnosanit. pregl. 18
no.10:898-899 0 '61.

1. Vojnomedicinska akademija u Beogradu, Klinika za unutrašnje bolesti.
(HODGKIN'S DISEASE case reports)

YUGOSLAVIA

Col Docent Dr Milovan ANTIC and Col Prof Dr Bozidar RADOJCIC, Clinic for Internal Medicine of Military Medical College (Klinika za unutrasnje bolesti Vojne Medicinske Akademije), Chief (Nacelnik) Col Prof Dr M. ARSENIJEVIC, Belgrade.

"Radiophosphorus Treatment of Chronic Leukemia."

Belgrade, Medicinski Glasnik, Vol 17, No 3-4, Mar-Apr 63; pp 132-139.

Abstract [French summary modified]: Detailed results in 15 chronic patients, 9 myeloid and 6 lymphoid. Temporary remissions followed therapy with radiophosphorus virtually in all cases but although several patients survive in remission now therapy is considered to be palliative only, effecting no basic change in course of disease. Fifteen detailed case reports; 6 graphs; 6 Western and 1 Yugoslav reference.

1/1

PADOJICIC, B., sanitetski pukovnik prof. dr.; PLECAS, V., sanitetski
potpukovnik dr.

Contribution to the diagnosis of acquired toxoplasmosis in
adults. Vojnosanit Pregl. 20 no.10:659-661 O '63.

1. Vojnomedicinska akademija u Beogradu, klinika za unutrasnje
bolesti.

YUGOSLAVIA

Milovan ANTIC and Bozidar RADOJCIC[Affiliation same as above.]

"Osseous Changes in Acute Leukemia."

Belgrade, Srpski Arhiv za Celokupno Lekarstvo, Vol 91, No 2, Feb 63;
217-221.

Abstract [German summary modified]: Case report on 13-year-old girl with arthralgia and fever: lymphatic leukemia; prednisone and purinethol treatment; progressive pain in joints despite all therapy; succumbed 10 months after onset; characteristic metaphyseal linear translucencies in long bones are shown and discussed. Two x rays; 7 Western references.

1/1

11

RADOJCIC, B. zidar; PEKIC, Bosiljka; STANISIC, Predrag

Febrile conditions after lamblasis of the digestive system.
Med. pregl. 17 no.7:371-372 '64

1. Klinika za unutrasnje bolesti VMA u Beogradu (Nacelnik:
Puk. prof. dr. Milan Arsenijevic).

PAVLOVIC, Pavle, sanitetski major, dr.; RADOJICIC, Bozidar, sanitetski
pukovnik, prof. dr.

Role of transfusions in the treatment of injuries. Vojnosanit.
pregl. 21 no.11:714-718 N 1964

JULJIC, Marjan, sanitetski pukovnik dr.; RADOJICIC, Bozidar, sanitetski
pukovnik profesor dr.; DOKOVIC, V.; BOGDANOV, Lea, sanitetski
potpukovnik dr.

Effect of total body x-ray irradiation on the healing of super-
ficial wounds. Vojnosanit. pregl. 22 no.11:683-686 N '65.

RADOJKOVIC, B.

Importance of the maintenance of tracks on electrified lines. p. 204.
ZELEZNICE. Beograd.
Vol. 11, no. 6, June 1955

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 2,
Feb. 1956

RADOJKOVIC, Bozidar, dr docent (Beograd, Kataniceva 12)

Introduction of diesel and electric locomotives in railroad transportation. Tehnika Jug&Suppl.:Elektrotehnika 12 no.3: 513-517 Mr '63.

1. Elektrotehnicki fakultet Univerziteta u Beogradu.

1942/1943, project of a large hall for generation. ... 1942

So: Central. List of East European Accessions List (OSAL) 23, Vol 4, No. 11
November 1954, Encl.

RADJIKOVIC, M.

Is it justifiable to give preference to concrete structures over steel construction? p. 669. *TEHNIKA* (Savaz inženjera i tehnicara Jugoslavije) Beograd. Vol. 11, no. 5, 1956

SOURCE: East Europe Accession Lists (EEAL),
Library of Congress, Vol. 5, no. 11, Nov. 1956

RADOJKOVIC, M.

TECHNOLOGY

PERIODICALS

RADOJKOVIC, M. Contribution to the study of cooperation between roadway girders and main girders in steel railroad bridges. p.141. No. 4, 1958

Monthly List of East European Accessions (EEAI) Vol. 11, No. 2
April 1959 Unclass.

RADOJKOVIC, Milan, ing., prof. (Beograd)

Opening speech at the 12th Annual Assembly of the International Institute of Welding, held in Opatija, 1959. Zavarivac 4 no. 4:8-9 '59.

1. Pretsednik Jugoslovenskog komiteta XII. godisnje skupstine Medunarodnog instituta za zavarivanje; Glavni i odgovorni urednik, "Zavarivac."